



Horizontal E track; galvanized vs. painted



Vertical E track; painted (galvanized also available)



E Track Rails

E Track Vertical - Galvanized - 5' Sections

SKU#: [PCC-4210-G-5](#)

★★★★★ 5 (2 reviews)

Our Price: \$9.39

E Vertical Track, Galvanized - 5ft 12 gauge steel

Ships from OR, TN



[5' Vertical Black](#)

Ships from OR, TN

\$8.30

[10ft Vertical-Galvanized](#)

Ships from OR, TN

\$16.39

[10ft Vertical-Black](#)

Ships from OR, TN

\$15.74

E Track Vertical - BLACK - 5' Sections

SKU#: [PCC-4210-5](#)

★★★★★ 5 (3 reviews)

Our Price: \$8.30

E Vertical Track, Painted (Black) - 5ft 12 gauge steel

Ships from OR, TN



[Galvanized 5' Vertical](#)

Ships from OR, TN

\$9.39

[Black 10' Vertical](#)

Ships from OR, TN

\$15.74

[Galvanized 10' Vertical](#)

Ships from OR, TN

\$16.39



E Track Horizontal - Galvanized - 5' Sections

SKU#: [PCC-4212-G-5](#)

★★★★★ 5 (11 reviews)

Our Price: \$10.37

Galvanized 5' section of horizontal e track. 12 gauge steel

Ships from OR, TN



E Track Horizontal - Black - 5' Sections

SKU#: [PCC-4212-5](#)

★★★★☆ 4.4 (8 reviews)

Our Price: \$9.41

Black 5' section of horizontal e track. 12 gauge steel

Ships from OR, TN



- [5ft Horizontal Galvanized](#)
- [10ft Horizontal Galvanized](#)
- [10ft Horizontal Black](#)

Ships from OR, TN	\$10.37
Ships from OR, TN	\$20.07
Ships from OR, TN	\$19.19



E Track Installation

Whether you are working with vertical e-track or horizontal e-track, our hardware manufacturer, PCC, recommends that you catch all the cross members with grade 8 bolts, and then wood screws (or self tappers) into every other hole, alternating.. so that if there is an empty hole on one side, there is a screw on the other.

First, let's talk about what gets bolted to the floor of your trailer, the e-track itself. If you have a choice, it's our opinion that vertical e-track is the best way to go for auto tie-down. The reason for this is the hardware we have to put on the wheel straps. If you put down vertical e-track, then we can build your wheel straps using the lowest profile hardware. What that means to you is a auto tie-down solution that gets you down as low to the floor as is humanly possible. If there is a lower profile solution than our vertical e-track wheel strap with flat-top d-ring idler, we haven't seen it!

Now, if you're going to put in vertical e-track, one way we've seen it done that makes a lot of sense to us is to put one row on one side of the trailer, and two rows on the other side. The idea behind this is to solve the “min-max” problem of differing wheelbase widths. Some companies will actually put in two rows on both side. (See picture below)



This trailer has double rows of vertical e-track on both sides!

Take a look at the types of cars you anticipate transporting and lay down your track accordingly. From what we've seen, 57 inches to 63 inches will be the majority of what you see, with 60 inches pretty much the "sweet spot". Here are some sample wheel base track widths to get you thinking:

- 50 inch: Morris Minor (ok, you probably won't have to transport too many of these, but we're treating this like a min-max problem, right?)
- 54 inch: Chevy S-10
- 57 inch: Mini Cooper, 1966 Ford Mustang
- 60 inch: Toyota Prius, Corvette, Pontiac GTO
- 63 inch: Chevelle 1968-1972
- 64 inch: Chevy Suburban



Wheelbase track width measures center of tire to center of tire.

OK, so let's say you've figured out whether or not to put double rows or a single row of vertical e track on the floor of your trailer. Or maybe you're going to just go with a horizontal e-track right under the wheels. Now you need to pick out some nice sturdy wheel straps to secure your automobiles to the e-track that's (hopefully) well-secured to your trailer floor and/or frame members.



Universal E-track Wheel Straps

(includes swivel hardware that enables strap to work on both vertical and horizontal e-track rails)

LOW PROFILE Swivel E-Track Idler Ratchet Strap with 6M RING Ratchet end

SKU#: [SS-DUBSWIVLP-DW](#)

Our Price: **\$29.95**

2018 NEW!!

AutoHauler Supply is introducing the low profile sleeves to the US market!

Universal e-track wheel strap with Low Profile tread grab sleeve. Have you ever had issues with the rubber blocks/ tire cleats, not fitting between the tire and fender, and because of that having to take extra time securing a vehicle?!?! These sleeved straps will solve that problem! (please see additional images for more info!

These sleeved straps will solve that problem! (please see additional images for more info!

[Ships from TX](#)



Swivel E-Track Idler Strap- Ratchet Handle with 6M RINGS

SKU#: [SS-A-2X11RHDODS-DW](#)

★★★★★ 5 (2 reviews)

Our Price: **\$26.86**

E-Track Wheel strap with a Swivel-Idler in the middle, and O-Ring E-Track connectors on both ends.

Features 10ft long end with three rubber tread grabs and stoppers. Ratchet handle and long end, fastens down securely to e-track via heavy duty 6M "Bull Ring" style e-track idler.

[Ships from TX](#)



Swivel E-Track Idler Strap (12ft)- Ratchet Handle with 6M RINGS

SKU#: [SS-A-2X13RHDODS-DW](#)

Our Price: **\$27.86**

12ft version of our standard 10ft E-Track Wheel strap with a Swivel-Idler, and O-Ring E-Track connectors on both ends. .

Features 12ft long end with three rubber tread grabs and stoppers. Ratchet handle and long end, fastens down securely to e-track via heavy duty 6M "Bull Ring" style e-track idler.

[Ships from TX](#)





Adjustable Basket Wheel Strap in Diamond Weave: E-Track version

SKU#: [SS-CT-2x11RTN-DS-DW](#)

★★★★★ 5 (3 reviews)

Our Price: ~~\$39.95~~ **\$37.40**

E-Track version: (Picture shows incorrect hooks/connectors)

This basket wheel strap for auto tie-down is fully adjustable with a front strap and top strap that allow it to fit to passenger cars or pickup truck tires. Long end of sewn-eye lasso is 11ft. Top strap has multiple pockets for precision fit and is 23 inches, end-to-end. Front strap is 13 inches long, plus hook length.

[Ships from TX](#)



Can-Am Spyder E-Track or Wirehook Wheel Strap w Low Pro Sleeve

SKU#: [SS-A-2x8-Can-Am](#)

★★★★★ 5 (2 reviews)

Our Price: **\$29.45**

Can-Am Spyder wheel strap with a low profile sleeve and Horizontal E-track fittings. Main photo credit: B. Hamblin

This 8ft + ratchet strap is made for using with Can-Am Spyderys and other three wheelers with car style tires.

The sleeve helps keeping the strap on the tire, to make it more secure.

Sold as single straps.

[Ships from TX](#)



The straps below are ONLY sold in box quantities, sorry!

10ft Universal E-Track Low Profile Ratchet Wheel Strap- 10 pack

SKU#: [AH-DM-EU-RLPx10](#)

★★★★★ 5 (1 review)

Our Price: **\$259.50 (\$25.95 each)**

Box of 10 ea BLACK HANDLE ratchet wheel straps with E-Track connectors for both Vertical and Horizontal E-Track.

Features ALL NEW LOW PROFILE TREAD GRAB.

Also FEATURES NEW HEAVY DUTY "BLACK HANDLE" RATCHET. 2,000 lbs safe WLL

[Ships from GA](#)





10ft Universal E-Track Black Handle Ratchet Wheel Strap- 8pk

SKU#: [AH-DM-EU-10-Rx8](#)

★★★★★ 5 (4 reviews)

Our Price: \$207.60 (\$25.95 each)

Box of 8ea BLACK HANDLE ratchet wheel straps with E-Track connectors for both Vertical and Horizontal E-Track.

Features 3 rubber tread grabs, sewn spacers to keep rubbers in place on the tire.

Also FEATURES NEW HEAVY DUTY "BLACK HANDLE" RATCHET. 2,000 lbs safe WLL

[Ships from GA](#)



Vertical E-track ONLY

Vertical E track Wheel Strap. 10 Ft w Flat Top Idler

SKU#: [PCC-EVSR210-V2](#)

★★★★★ 5 (6 reviews)

Our Price: \$29.49

Wheel strap (10ft) to use with Vertical Style E-Track.

NOW with a D-Ring idler instead of the O-Ring, which will make the strap last longer. Also includes the ratchet, and three rubber tread grabs. Complete ready to use.. (E-track rail and tire not included)

[Ships from OR, TN](#)





Horizontal E-track ONLY

Horizontal E track Wheel Strap 10ft w (Low Profile Roller Idler x3)

SKU#: [PCC-EHSR210-V2-3ID](#)

★★★★★ 4.9 (20 reviews)

Our Price: \$38.97

Our Premium Wheel strap for for use on Horizontal style E-track... This car tie-down wheel strap has a roller idler (Not pictured in main photo, see additional pictures) for horizontal E-track behind the three rubber tread grabs.

Tread Grabs held in place by 4 sewn stoppers.

The Strap also uses these idlers on each end, to keep the strap flat and without twists.

2,000 LB working load limit. (This is one rugged E track strap.)

Strap comes complete ready to use (Tire and E-track rail not included).

Ships from OR, TN



12 ft Race Car Strap for E-Track with 3 low profile idlers

SKU#: [PCC-EHR212-3ID-C](#)

Our Price: ~~\$39.16~~ \$36.78

2000 lb Working Load Limit. 12 feet long. This is the three point tie-down strap to use on your race car if you need more length to get ratchet away from car.

Ships from OR







Interesting Odds & Ends

Horizontal E Track Roller Idler

SKU#: [PCC-HE-2IDLR](#)

★★★★★ 5 (5 reviews)

Our Price: \$17.95 **\$9.95**

Replacement low profile roller idler for horizontal e track auto tie-down systems. 2,000lbs WLL

Ships from OR



E-Track Swivel Idler for 2" webbing

SKU#: [SS-H-2DSUB-SE](#)

★★★★★ 5 (1 review)

Our Price: \$12.95 **\$9.95**

E-Track Swivel Idler for 2" webbing 2,000lbs WLL

Ships from TX



E-Track O-Ring connector

SKU#: [SS-H-2HDOR](#)

★★★★★ 5 (1 review)

Our Price: \$6.95 **\$4.95**

E-track connector, Heavy Duty with Round Ring.

Ships from TX



E-Track O-Ring connector- 6K

SKU#: [AH-DM-EF020](#)

★★★★★ 5 (1 review)

Our Price: **\$4.50**

E-Track O-Ring connector, 2,000 lbs safe WLL, 6K break Strength.

Ships from PA





HEAVY DUTY E / A Spring Fitting w/ 2" D- Ring - 6000 lbs Break Strength

SKU#: [PCC-EFTG-2DR-6M](#)

★★★★★ 5 (1 review)

Our Price: \$5.28

D-Ring version of the EFTG-2CR-6M O-ring fitting.

This is the new idler "Flat Top Idler" we use on our vertical E-track straps

Works better with the straps, than the round ring idler.

2,000lbs WLL 6,000lbs break strength.

Ships from OR, TN



Rope Tie Assembly w/ Spring Loaded End Fitting & D-Ring-Blue

SKU#: [SS-S-2X6RTSE](#)

Our Price: \$2.95

Rope Tie Assembly w/ Spring Loaded End Fitting & D-Ring Blue is stock color.

Ships from TX



E-Track Wood End Socket

SKU#: [US-WES100](#)

★★★★★ 5 (1 review)

Our Price: \$3.99

These wood end sockets are a must have for any van trailer or box truck. Use them to create removable shelving or cargo bars.

Ships from IA




F Track Mounting Plate

SKU#: [PCC-4202](#)

Our Price: \$3.99 \$3.68

Mounting plate for E track and F track shoring beams.

Ships from OR





Ratchet Handle- Diamond Weave- E-Track O-Ring

SKU#: [SS-A-2X1RDSE](#)

Our Price: ~~\$15.50~~ **\$13.99**

Ratchet Handle for 2" webbing. E-track connector, Heavy Duty with Round Ring. 2000 lbs safe WLL

Ships from TX



Big Orange 8ft Lasso Strap w HD Swivel-J Ratchet (Box of 14)

SKU#: [AH-ORANGE-LSv2-8-Rx14](#)

★★★★★ 5 (41 reviews)

Our Price: ~~\$223.30~~ **\$171.50** (**\$12.25 each**)

Box of 14 8 foot lasso straps with steel ring and **new Heavy Duty** ratchet handle with bolt on swivel J hook. 3,000 LB WLL. This wheel strap is for side mount trailers like Quality, Kaufman, Take-3, etc.

Ships from GA, NV



2" Double Ratchet Adjustable Tire Bonnet - Diamond Weave

SKU#: [SS-CT2DRATB-DW](#)

★★★★★ 5 (8 reviews)

Our Price: ~~\$24.95~~ **\$19.99**

Double ratchet car tie-down strap features adjustable tire basket.

Allows you to secure car to trailer with **two ratchets per tire**.

Many thanks to TK Hauling for the picture of the strap in use!

Made to order, please allow 2-4 days extra before they will ship"

No ratchet handles included, sold separate, requires two ratchets per strap!

Ships from TX





RV and Trailer Wheel Strap

SKU#: [PCC-TN-16-3D](#)

★★★★★ 5 (3 reviews)

Our Price: ~~\$27.95~~ **\$24.10**

NEW! Basket type wheel strap (tire net) designed for RV Trailer and Cargo Trailer transport. Optimized for 16 inch wheels, this strap features two 36 inch long straps so you can secure each wheel with two ratchet handles (sold separately)

Ships from OR



E track rails and wheel straps aren't just for enclosed trailers!

Order Online-- Track Online www.AutoHaulerSupply.com or call 866-855-HAUL (4285) Toll-Free